

Product Handling Information Sheet

GEHR POM-ELS®

1. Manufacturer

GEHR GmbH Casterfeldstraße 172 68219 Mannheim Deutschland Tel. +49 621 8789-0 Fax +49 621 8789-200

Info@gehr.de www.gehr.de

2. Product Description

Article Engineering semi-finished product

Abbreviation POM-ELS

Material characterization Thermoplastics

Main components Polyoxymethylene copolymer (polyacetal copolymer),

electrostatic conductive, contains pigments, stabilizers and

additives

Marking obligation

components

No hazardous prep. according to Regulation 1272/2008/EC (CLP)

Classification according to

REACh

Product / Mixture

3. Product Properties

Form / Condition Rods, Sheets / Solid

Colour black

Odour -

Density $1,35 - 1,40 \text{ g/cm}^3$

Melting temperature 160 - 170 °C

Thermal decomposition > 240 °C

Ignition temperature 320 - 340 °C

Solubility in water insoluble



Risks no special risks for humans or animals

Possible decomposition

products

secure the contact with acids and acid-forming products

Handling and Storage

Machining The product can be machined with standard machinery and tools.

Before machining the product should be stored at room

temperature 24 h. Evacuate swarf to prevent slipping or tripping. Observe the maximum allowable concentration of dust levels on the working area which apply in your country. Wear safety

goggles during machining. General dust limit value: Respirable dust (6 mg/m3); Inhalable dust (10 mg/m3)

Storage The products shall be stored indoor to keep away from any

source of degradation such as sunlight, UV-jets, ionizing

radiation, chemicals, ...

Safety measures The general industrial safety measures should be considered.

A thermal damage during machining should be avoided.

Fire-fighting Measures

Suitable extinguishing agents Water spraying jet, foam, dry chemical, carbon dioxide (CO₂)

Potential combustion Carbon dioxide (CO₂), carbon monoxide (CO),

formaldehyde (CH₂O)

Formation of further decomposition and oxidation products depent upon the fire conditions. Under special fire conditions

traces of other toxic substances are possible.

Wear a self-contained breathing equipment. If exposed to Special protective equipment

combustion fumes bring the victim into fresh air

Further information Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations.

6. Disposal Considerations

European waste catalogue According to the "European Waste Catalogue and Hazardous

Waste List" uncontaminated waste from the products is not

classified as hazardous.

Following code numbers can be used:

070213 waste plastic from manufacture, formulation, supply

and use of plastics,

120105 plastic shavings and turnings

57129 other cured waste plastics (Austria)

If recycling is not possible, waste disposal by landfill or Waste disposal

incineration in compliance with state and local regulations. The product do not contain pigments or stabilizers based on cadmium. The product is not biologically degradable, but



based on the present state of knowledge no negative effects on the environment may be anticipated.

7. Marking and Guidelines

Marking in accordance

EEC guidelines

Not subject to labelling.

Other guidelines None

Transport regulations Not classified as hazardous good under transport regulations.

8. Other Information

According EG directive 1907/2006/EG (REACh), our products are clearly defined as articles, exempt from registration. The European regulation (EV) about chemicals, which came into force June 1st, 2007, prescribes Material Safety Data Sheets (MSDS) only for dangerous substances and preparations. According REACh we are manufacturing articles and we are not required to issue MSDS.

All above mentioned information are based according to today's state of knowledge and supply no warranty of quality. Existing laws and regulations must be observed by the recipient of our products on his own authority.